ELSEVIER

Fluid Phase Equilibria 122 (1996) 269–270

FLUID PHASE EQUILIBRIA

Contents of Volume 122 (1996)

Vol. 122, Nos. 1–2

Equilibrium properties: theoretical papers

Vapour–liquid and liquid–liquid phase equilibria of binary mixtures containing helium: comparison of experiment with predictions using equations of state
Y.S. Wei and R.J. Sadus (Hawthorn, Vic., Australia) 1–15

A new generalized isothermal equation of state for liquids and molten polymers
L. Hong-Yi (Shanghai, China) 17–26

Computation of the attractive energy parameter of normal fluids in cubic equations of state
P.A. Sacomani, H.P. Gros and E.A. Brignole (Bahía Blanca, Argentina) 27–34

The prediction of thermal pressure coefficients for both normal and branched paraffins from molecular structure
G. Liu and H.-Y. Lee (Shanghai, China) 35–41

Thermodynamic modeling of hydrate formation based on new concepts
G.-J. Chen and T.-M. Guo (Beijing, China) 43–65

A simple and accurate mixture model
H. Hammawa and E.Z. Hamad (Dhahran, Saudi Arabia) 67–74

Molecular thermodynamic theory for polymer systems. Part II. Equation of state for chain fluids
H. Liu and Y. Hu (Shanghai, China) 75–97

Comparative study of mixing rules for cubic equations of state in the prediction of multicomponent vapor–liquid equilibria
M. Solórzano-Zavala, F. Barragán-Aroche and E.R. Bazúa (Shanghai, China) 99–116

VLE for water + ethanol + 1-octanol mixtures. Experimental measurements and correlations
A. Arce, J. Martínez-Ageitos and A. Soto (Santiago, Spain) 117–129

Equilibrium properties: experimental papers

Thermodynamic properties of CF_3-CHF-CHF_2, 1,1,1,2,3,3-hexafluoropropane
D.R. Defibaugh, K.A. Gillis, M.R. Moldover, J.W. Schmidt and L.A. Weber (Gaithersburg, MD, USA) 131–155

Vapor–liquid equilibria for methyl *tert*-butyl ether + methanol and *tert*-amyl methyl ether + methanol
R.K. Toghiani, H. Toghiani and G. Venkateswarlu (Mississippi, MS, USA) 157–168

Generalized water uptake modelling of water-in-oil microemulsions. New experimental results for Aerosol-ot–isooctane–water–salts systems
H.R. Rabie and J.H. Vera (Montreal, Que., Canada) 169–186

Partially halogenated hydrocarbons CHFCl–CF_3, CF_3–CH_3, CF_3–CHF–CHF_2, CF_3–CH_2–CF_3, CHF_2–CF_2–CH_2F, CF_3–CH_2–CHF_2, CF_3–O–CHF_2: critical temperature, refractive indices, surface tension and estimates of liquid, vapor and critical densities
J.W. Schmidt, E. Carrillo-Nava and M.R. Moldover (Gaithersburg, MD, USA) 187–206

Experimental study of miscibility, density and isobaric vapor–liquid equilibrium values for mixtures of methanol in hydrocarbons (C5, C6)
A.M. Blanco and J. Ortega (Las Palmas, Spain) 207–222

Phase diagram studies of methanol–H_2O–CO_2 and acetonitrile–H_2O–CO_2 mixtures
S.T. Lee, T.S. Reighard and S.V. Olesik (Columbus, OH, USA) 223–241

Vapor–liquid equilibria for nitrogen with 2-methyl-1-pentanol, 1-octanol, or 1-decanol binary systems
W.-L. Weng (Hsinchu, Taiwan) and M.-J. Lee (Taipei, Taiwan) 243–253

Letter to the Editor
Re-examination of collinearity tests for density-dependent mixing rules
J.J.F. Alvarado and P.T. Eubank (College Station, TX, USA) 255–263

Subject Index 265

Author Index 267